

# Certificate of Compliance

This is to certify that

**EDGE ANALYTICAL, Inc.,**


An Accredited Drinking Water Laboratory,

Certification number 046, has completed the analysis of

**DRINKMORE WATER**  
“Purified Water”

on July 19, 2011, according to the IBWA “Appendix A” testing requirements for bottled drinking water. All parameters were found to be in compliance with FDA’s and IBWA’s published Standard of Quality limits for bottled drinking water.

Report signed this 19th day of July, 2011



Patrick D. Miller  
QC Officer



**EDGE**  
ANALYTICAL  
LABORATORIES



Burlington WA <i>Corporate Office</i> 1620 S Walnut St - 98233 800.755.9295 • 360.757.1400	Bellingham WA <i>Microbiology</i> 805 Orchard Dr Ste 4 - 98225 360.671.0686	Portland OR <i>Microbiology/Chemistry</i> 9150 SW Pioneer Ct Ste W- 97070 503.682.7802
---	--	---

July 19, 2011

Page 1 of 1

Mr. Bob Perini  
Drinkmore Water/Drinkmore Delivery Inc  
7595 Rickenbacker Drive  
Gaithersburg, MD 20879

RE: 11-07781 - Drinkmore Water/Drinkmore Delivery Inc

Dear Mr. Bob Perini,

Your project: Drinkmore Water/Drinkmore Delivery Inc, was received on Monday May 23, 2011.  
The following comments are reported for your project:

Total Recoverable Phenolics testing is not required when the Odor result is less than 3 Threshold Odor Number (TON).  
This criteria follows phone conversations with FDA and IBWA on July 16, 2003.

If you have questions phone us at 800 755-9295.

Respectfully Submitted,


A handwritten signature in black ink that reads "Pat Miller for LJH".

Lawrence J Henderson, PhD  
Director of Laboratories

Enclosures Data Report



Burlington WA      Bellingham WA      Portland OR  
 Corporate Office      Microbiology      Microbiology/Chemistry  
 1620 S Walnut St - 98233      805 W Orchard Dr Ste 4 - 98225      9150 SW Pioneer Ct Ste W- 97070  
 800.755.9295 & 360.757.1400      360.671.0688      503.682.7802



## IBWA STANDARD OF QUALITY REPORT

Client Name: Drinkmore Water/Drinkmore Delivery Inc  
 7595 Rickenbacker Drive  
 Gaithersburg, MD 20879

Reference Number: **11-07781**

Project: Drinkmore Water/Drinkmore Delivery Inc  
 Field ID: Drinkmore Purified Water  
 Sample Description: IBWA  
 Sampled By: Mr. Bob Perini  
 Sample Date: 05/24/2011

Lab Number: 16930  
 Report Date: 07/19/2011  
 Reviewed By: *PM*

Inorganic Chemicals (IOCs)								
CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	6/16/11	
7440-38-2	ARSENIC	ND	0.010	0.001	mg/L	200.8	6/16/11	
7440-39-3	BARIUM	ND	1.0	0.001	mg/L	200.8	6/16/11	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	6/16/11	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	6/16/11	
7440-47-3	CHROMIUM	ND	0.05	0.005	mg/L	200.8	6/16/11	
57-12-5	CYANIDE, FREE	ND	0.1	0.040	mg/L	SM4500-CN F	5/27/11	
16984-48-8	FLUORIDE	ND	2.4	0.10	mg/L	300.0	5/24/11	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	6/16/11	
7439-97-6	MERCURY	ND	0.001	0.0002	mg/L	245.1	5/31/11	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	6/16/11	
14797-55-8	NITRATE-N	ND	10	0.10	mg/L	300.0	5/24/11	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	5/24/11	
E-10128	TOTAL NITRATE/NITRITE	ND	10	0.10	mg/L	300.0	5/24/11	
7782-49-2	SELENIUM	ND	0.010	0.005	mg/L	200.8	6/16/11	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	6/16/11	
1497-73-0	* PERCHLORATE	ND	0.002	0.0002	mg/L	314.0LL	6/1/11	Analyzed by NSF

Notation:  
 A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.  
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.  
 MRL - Method Reporting Limit.  
 An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact us at the above phone number.



Reference Number: 11-07781

Lab Number: 16930

Report Date: 07/19/2011

## IBWA STANDARD OF QUALITY REPORT

Page 2 of 7

### Secondary Inorganic Parameters

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	6/1/11	
16887-00-6	CHLORIDE	0.2	250	1	mg/L	300.0	5/24/11	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	6/16/11	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	6/1/11	
7439-96-5	MANGANESE	ND	0.05	0.001	mg/L	200.8	6/16/11	
7440-22-4	SILVER	ND	0.025	0.010	mg/L	200.8	6/16/11	
14808-79-8	SULFATE	ND	250	10	mg/L	300.0	5/24/11	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	ND	500	10	mg/L	SM2540 C	5/31/11	
7440-66-6	ZINC	ND	5.0	0.005	mg/L	200.8	6/16/11	

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.

MRL - Method Reporting Limit.

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

## IBWA STANDARD OF QUALITY REPORT

### Volatile Organic Chemicals (VOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
71-55-6	1,1,1 - TRICHLOROETHANE	ND	30	0.4	ug/L	524.2	5/24/11	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	3	0.4	ug/L	524.2	5/24/11	
75-35-4	1,1 - DICHLOROETHYLENE	ND	2	0.4	ug/L	524.2	5/24/11	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	9	0.4	ug/L	524.2	5/24/11	
107-06-2	1,2 - DICHLOROETHANE	ND	2	0.4	ug/L	524.2	5/24/11	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	5/24/11	
71-43-2	BENZENE	ND	1	0.4	ug/L	524.2	5/24/11	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	5/24/11	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	5/24/11	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	5/24/11	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	5/24/11	
75-09-2	METHYLENE CHLORIDE (DICHLOROMI	ND	3	0.4	ug/L	524.2	5/24/11	
108-90-7	MONOCHLOROBENZENE	ND	50	0.4	ug/L	524.2	5/24/11	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	5/24/11	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	5/24/11	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	5/24/11	
127-18-4	TETRACHLOROETHYLENE	ND	1	0.4	ug/L	524.2	5/24/11	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	5/24/11	
79-01-6	TRICHLOROETHYLENE	ND	1	0.4	ug/L	524.2	5/24/11	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	5/24/11	
1330-20-7	XYLENES (TOTAL)	ND	1000	0.4	ug/L	524.2	5/24/11	
75-27-4	BROMODICHLOROMETHANE	ND		0.4	ug/L	524.2	5/24/11	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	5/24/11	
67-86-3	CHLOROFORM	4.7		0.4	ug/L	524.2	5/24/11	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	5/24/11	
E-14471	TOTAL TRIHALOMETHANE	4.7	10	0.4	ug/L	524.2	5/24/11	
1634-04-4	METHYL TERT-BUTYL ETHER	ND	70	0.4	ug/L	524.2	5/24/11	
91-20-3	NAPHTHALENE	ND	300	0.4	ug/L	524.2	5/24/11	
79-34-5	1,1,2,2 - TETRACHLOROETHANE	ND	1	0.4	ug/L	524.2	5/24/11	

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.  
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.  
 MRL - Method Reporting Limit.

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

**These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.**

## IBWA STANDARD OF QUALITY REPORT

### Synthetic Organic Chemicals (SOCs)

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
93-72-1	2,4,5 - TP (SILVEX)	ND	10	0.4	ug/L	515.4	6/1/11	
94-75-7	2,4 - D	ND	70	0.2	ug/L	515.4	6/1/11	
15972-60-8	ALACHLOR	ND	2	0.4	ug/L	525.2	5/26/11	
116-06-3	ALDICARB	ND	3	1	ug/L	531.2	6/8/11	
1646-88-4	ALDICARB SULFONE	ND	3	1	ug/L	531.2	6/8/11	
1646-87-3	ALDICARB SULFOXIDE	ND	4	1	ug/L	531.2	6/8/11	
1912-24-9	ATRAZINE	ND	3	0.2	ug/L	525.2	5/26/11	
1563-66-2	CARBOFURAN	ND	40	1	ug/L	531.2	6/8/11	
57-74-9	CHLORDANE	ND	2	0.4	ug/L	508.1	5/26/11	
75-99-0	DALAPON	ND	200	2	ug/L	515.4	6/1/11	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.04	ug/L	504.1	5/26/11	
88-85-7	DINOSEB	ND	7	0.4	ug/L	515.4	6/1/11	
72-20-8	ENDRIN	ND	2	0.02	ug/L	525.2	5/26/11	
106-93-4	ETHYLENE DIBROMIDE (EDB)	ND	0.05	0.02	ug/L	504.1	5/26/11	
76-44-8	HEPTACHLOR	ND	0.4	0.08	ug/L	525.2	5/26/11	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.04	ug/L	525.2	5/26/11	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.04	ug/L	525.2	5/26/11	
72-43-5	METHOXYCHLOR	ND	40	0.2	ug/L	525.2	5/26/11	
23135-22-0	OXYMAL (VYDATE)	ND	200	1	ug/L	531.2	6/8/11	
87-86-5	PENTACHLOROPHENOL	ND	1	0.08	ug/L	515.4	6/1/11	
1918-02-1	PICLORAM	ND	500	0.2	ug/L	515.4	6/1/11	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCB)	ND	0.5	0.2	ug/L	508.1	5/26/11	
122-34-9	SIMAZINE	ND	4	0.15	ug/L	525.2	5/26/11	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	508.1	5/26/11	
41903-57-5	* DIOXIN (2,3,7,8-TETRACHLORODIBENZ)	ND	30	5	pg/L	1613	6/9/11	Analyzed by PACE_MN
85-00-7	DIQUAT	ND			mg/L	549.2	5/25/11	
145-73-3	ENDOTHALL	ND	100	20	ug/L	548.1	5/31/11	
1071-83-6	GLYPHOSATE	ND	700	10	ug/L	547	6/2/11	
50-32-8	BENZO(A)PYRENE	ND	0.2	0.04	ug/L	525.2	5/26/11	
103-23-1	DI(2-ETHYLHEXYL)-ADIPATE	ND	400	1.3	ug/L	525.2	5/26/11	
117-81-7	DI(2-ETHYLHEXYL)-PHTHALATE	ND	6	1.3	ug/L	525.2	5/26/11	
118-74-1	HEXACHLOROBENZENE	ND	1	0.2	ug/L	525.2	5/26/11	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.2	ug/L	525.2	5/26/11	
E-10253	TOTAL RECOVERABLE PHENOLICS	NA	1	1	ug/L	420.1	5/26/11	Not Analyzed

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.  
 SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDR or IBWA.  
 MRL - Method Reporting Limit.

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

**These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.**



Reference Number: 11-07781  
Lab Number: 16930  
Report Date: 07/19/2011

## IBWA STANDARD OF QUALITY REPORT

Page 5 of 7

### Water Properties

GAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
E-11712	COLOR	ND	5	5	Color Units	SM2120 B	5/24/11	pH:6.60
E-10617	TURBIDITY	ND	0.5	0.10	NTU	180.1	5/24/11	
E-10139	HYDROGEN ION (pH)	6.60	5.0-8.5		pH Units	150.1	5/24/11	
E-11734	ODOR	ND	3	1	TON	SM2150	5/24/11	Temperature: 50.8C

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.  
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.  
MRL - Method Reporting Limit .

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.

## IBWA STANDARD OF QUALITY REPORT

### Disinfectants/DBP

CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
NA	* HAA(5)	ND	0.060	0.001	mg/L	552.3	6/2/11	
15541-45-4	BROMATE	ND	0.010	0.005	mg/L	300.1	5/31/11	
10049-04-4	* CHLORINE DIOXIDE	ND	0.8	0.1	mg/L	SM4500-ClO2	5/24/11	
7758-19-2	* CHLORITE	ND	1.00	0.050	mg/L	300.1	5/31/11	
NA	* CHLOROAMINES TOTAL	ND	4.0	0.05	mg/L	SM4500-Cl G	5/24/11	
7782-50-5	CHLORINE	ND	0.1	0.05	mg/L	SM4500-Cl G	5/24/11	

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.

SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.





Reference Number: 11-07781

Lab Number: 16930

Report Date: 07/19/2011

## IBWA STANDARD OF QUALITY REPORT

Page 7 of 7

### Radiological Contaminants


CAS ID#	COMPOUNDS	RESULT	SOQ	MRL	Units	Method	Analyzed	COMMENT
12587-46-1	GROSS ALPHA	ND	15	3	pCi/L	900.0	6/13/11	Analyzed by Pace Labs
12587-47-2	GROSS BETA	ND	50	4	pCi/L	900.0	6/13/11	Analyzed by Pace Labs
13982-63-3	RADIUM 226	ND		1	pCi/L	903.1	6/17/11	Analyzed by Pace Labs
15262-20-1	RADIUM 228	ND	5	1	pCi/L	904.0	6/17/11	Analyzed by Pace Labs
7440-61-1	URANIUM	ND	0.030	0.001	mg/L	200.8	6/16/11	

**Notation:**

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit - MRL.  
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.  
MRL - Method Reporting Limit.

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.



Burlington WA  
Corporate Office


1620 S Walnut St - 98233  
800.755.9295 & 360.757.1400

Bellingham WA  
Microbiology

805 Orchard Dr Ste 4 - 98225  
360.671.0688

Portland OR  
Microbiology/Chemistry

9150 SW Pioneer Ct Ste W- 97070  
503.682.7602



# Data Report

Client Name: Drinkmore Water/Drinkmore Delivery Inc  
7595 Rickenbacker Drive  
Gaithersburg, MD 20879

Reference Number: **11-07781**  
Project: Drinkmore Water/Drinkmore  
Delivery Inc

Report Date: 7/19/11

Date Received: 5/23/11

Reviewed by: *pu*

Sample Description: Drinkmore Purified Water - IBWA		Sample Date: 5/24/11 10:00 am									
Lab Number: 16930		Collected By: Mr. Bob Perini									
CAS ID#	Parameter	Result	PQL	MDL	Units	DF	Method	Analyzed	Analyst	Batch	Comment
7440-23-5	SODIUM	0.75	0.50	0.04	mg/L	1.0	200.7	6/1/11	BJ	200.7-110601A	
E-11778	HARDNESS as Calcium Carbonate	ND	10	0.034	mg/L	1.0	200.7	6/1/11	BJ	200.7-110601A	
7440-70-2	CALCIUM	ND	1	0.03	mg/L	1.0	200.7	6/1/11	BJ	200.7-110601A	
7439-95-4	MAGNESIUM	ND	1	0.002	mg/L	1.0	200.7	6/1/11	BJ	200.7-110601A	
E-10184	ELECTRICAL CONDUCTIVITY	ND	10		uS/cm	1.0	SM2510 B	5/26/11	SRF	EC_110526	
7440-09-7	POTASSIUM	ND	1.0	0.08	mg/L	1.0	200.7	6/1/11	BJ	200.7-110601A	
80-05-7	*BISPHENOL-A	ND	0.5	0.5	ug/L	1.0	525.2/3510C	5/26/11	CO	525_110526	

**Notes:**

ND = Not detected above the listed practical quantitation limit (PQL) or not above the Method Detection Limit (MDL), if requested.

PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.

D.F. - Dilution Factor

An \* in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples. If you have any questions concerning this report contact us at the above phone number.